RBV150C

ROCKWELL/BRINELL/VICKERS HARDNESS TESTER

- ◆ For Rockwell, Brinell and Vickers testing
- Rockwell testing value gets from screen, and the Brinell and Vickers hardness gets from table in the operation manual



Small flat anvil



Large flat anvil



V-type anvil



Medium flat anvil



SPECIFICATION

Load force for Rockwell	Preload force: 98N, Total load force: 588, 980, 1471 N	
Rockwellresolution	0.1HR	
Load force for Brinell	306, 613, 1839N	
Load force for Vickers	294N	
Stage elevation	manual	
Loading control	motorized	
Max. test height	175mm(Rockwell),100mm(Brinell),115mm(Vickers),	
Max. throat	165mm	
Dimension	520×240×700mm	
Weight	105kg	



INCLUDED ACCESSORIES	
Main unit	1pc
Ø1.5875mm ball carbide indenter	1pc
Diamond indenter for Rockwell	1pc
Ø5mm ball indenter for Brinell	1pc
Ø2.5mm ball indenter for Brinell	1pc
IndenterforVickers	1pc
Small flat anvil for Rockwell	1pc
Large flat anvil for Rockwell	1pc

V-type anvil	1pc
Medium flat anvil for Brinell and Vickers	1pc
HRC hardness test block	2pcs
HRB hardness test block	1pc
Brinell hardness test block	1pc
Vickers hardness test block	1pc
Dustproofcover	1pc

